

CLIENT:**Other Notes:****Address:****Phone #****Fax #****E-Mail Address:****GENERAL DESCRIPTION**

- Project Name: _____ Delivery Date Required ___ / ___ / ___
- Intended Use: _____ Loading: _____
- Installation Required Yes ___ No ___ Union / Non ___ Area Clear ___ Congested ___

PLATFORM DIMENSIONS / COLUMN PLACEMENT

- Length x Width _____ x _____
- Column Spacing : Most Economical
 Maximum Spans
 Special (Attached Sketch)

LOAD CAPACITY / HEIGHT OF PLATFORM

- Load Capacity: (Non Stacked Pallets)
 - 100 PSF (Office Use)
 - 125 PSF (Standard Use)
 - 150 PSF
 - 200 PSF
 - 250 PSF
 - Special Requirement: _____
- Required Height: _____
 - Deck Height
 - Clear Height
 - Building Height

***In all cases column base-plates will be fastened on concrete slab. It is the customer's responsibility to ensure proper concrete thickness and soil conditions to support the platform.**

GUARDRAIL / GATES

- | <ul style="list-style-type: none"> • Handrail & Kick-plate: <ul style="list-style-type: none"> <input type="checkbox"/> All Sides <input type="checkbox"/> 3 Sides <input type="checkbox"/> 2 Sides <input type="checkbox"/> 1 Side <input type="checkbox"/> Special (Attached Sketch) <input type="checkbox"/> Not Required | <ul style="list-style-type: none"> • Loading Gates: <table border="0" style="width: 100%;"> <thead> <tr> <th>Size: Width</th> <th>Quantity:</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/> Lift-Out 4' / 5'</td> <td>_____</td> </tr> <tr> <td><input type="checkbox"/> Single Swing 2'-6" / 3'</td> <td>_____</td> </tr> <tr> <td><input type="checkbox"/> Double Swing 5' / 6'</td> <td>_____</td> </tr> <tr> <td><input type="checkbox"/> Single Slide 5'- 10'</td> <td>_____</td> </tr> <tr> <td><input type="checkbox"/> Not Required</td> <td></td> </tr> </tbody> </table> | Size: Width | Quantity: | <input type="checkbox"/> Lift-Out 4' / 5' | _____ | <input type="checkbox"/> Single Swing 2'-6" / 3' | _____ | <input type="checkbox"/> Double Swing 5' / 6' | _____ | <input type="checkbox"/> Single Slide 5'- 10' | _____ | <input type="checkbox"/> Not Required | |
|--|--|-------------|-----------|---|-------|--|-------|---|-------|---|-------|---------------------------------------|--|
| Size: Width | Quantity: | | | | | | | | | | | | |
| <input type="checkbox"/> Lift-Out 4' / 5' | _____ | | | | | | | | | | | | |
| <input type="checkbox"/> Single Swing 2'-6" / 3' | _____ | | | | | | | | | | | | |
| <input type="checkbox"/> Double Swing 5' / 6' | _____ | | | | | | | | | | | | |
| <input type="checkbox"/> Single Slide 5'- 10' | _____ | | | | | | | | | | | | |
| <input type="checkbox"/> Not Required | | | | | | | | | | | | | |
| Approx. Linear Feet: _____ | | | | | | | | | | | | | |

MEZZANINE FINISH

- Finish Type: Standard Grey Standard Blue Standard Black Special Colour Galvanized Finish

STAIRCASES, LANDING & LADDERS

- **Types of Staircases:** _____ **Quantity** • **Layout:** _____ • **Special Add-Ons:** _____
- Interior (inside mezzanine area) _____ Straight Run Closed Risers
- Exterior (outside mezzanine area) _____ L-Shaped Galv. Diamond Grip
- Exterior with Top-Landing _____ U-Shaped Special Width
- None Required
- 11" x 36" Ch. Plate Tread Style
- 11" x 36" Bar & Rod Grating Tread Style
- Access ladder w/o safety hoops
- Access ladder c/w safety hoops

MEZZANINE FLOORINGS

- **Flooring Type:**
- Corrugated Steel Deck (1 1/2" high) and 5/8" Plywood Select.
- 3/4" Resindek Unfinished. Open Bar & Rod Grating (Painted Black)
- 3/4" Resindek Finished. 16 Gauge Open Steel Plank
- 1/8" Checker-plate (Unpainted) By Others (please specify) _____

SPECIAL NOTES:

How far from work area _____ **Site will be:** Completely Clear _____ Obstructions _____
 Dock Level: Yes No

SKETCH AREA

